



40" Ø Grade Rings

Η	Opening	Weight
3"	24" Round	205 lb
4"	24" Round	275lb
6"	24" Round	410 lb
8"	24" Round	550 lb
10"	24" Round	685 lb
12"	24" Round	825 lb

44" Ø Grade Rings

	• •	\sim	orade	rungs	
	Η	Ope	ning	Weight	
	3"	24" S	quare	245 lb	
	4"	24" S	quare	325 lb	
	6"	24" S	quare	485 lb	
	8"	24" S	quare	650 lb	
1	0"	24" S	quare	810 lb	
1	2"	24" S	quare	975 lb	
	3"	30" R	Round	210 lb	
	4"	30" R	Round	280 lb	
	6"	30" R	Round	420 lb	
	8"	30" R	Round	560 lb	
1	0"	30" R	Round	700 lb	
1	2"	30" R	Round	840 lb	

Typical Square Opening

Design Notes:

-Concrete Minimum 5000 psi at 28 days -Grade 60 Steel Reinforcing -Weights May Vary -Meets AASHTO H-20 Loading -Meets ASTM C-478 Specifications

CD